


## SHRINKWRAP SUPPLIES

### Top Performance Kit

5ft Rd Wire, 5ft 1/4"	
Sponge, 1 Roll 1" Tape	DFSHRINK 1*1/4
5ft Rd Wire, 5ft 3/8"	
Sponge, 1 Roll 1" Tape	DFSHRINK 1*3/8
5ft Rd Wire, 5ft 1/4"	
Sponge, 3/4 Roll 1" Tape	DFSHRINK 3/4*1/4
5ft Rd Wire, 5ft 3/8"	
Sponge, 1 Roll 3/4" Tape	DFSHRINK 3/4*3/8



Rd Wire By The Foot YO1100-010  
130 Ft Roll Rd Wire YO1100-006



Sponge By The Foot  
1/2" YO1400-010  
3/8" YO1400-002  
1/4" YO1400-003



Teflon Tape By The Roll  
1/2" YO1350-043  
3/4" YO1350-086  
1" YO1350-017



Ribbon Wire By The Foot  
YO100-025

Insulator Bushing	YO2500-019
APS Sponge And Tape	YOTEFLON PAD
Insulator 1/2" Wide Just Under 1/8" Thick, 48" Long	YO2500-016



Heat Gun



### Shrinkwrap Film

#### Pvc Shrinkwrap Film

75 Gauge 500' Roll  
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 &  
36" Widths  
100 Gauge 500' Roll  
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30  
& 36" Widths  
75 Gauge 2000' Roll  
Available In 6, 8, 10, 12, 14, 16, 18, 20, 22,  
24, 30 & 36" Widths  
100 Gauge 1500' Roll  
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30  
& 36" Widths

Also Available In 125 Gauge & 150 Gauge

#### Polyolefin Film


Polyolefin Film Is Stretchier Than Pvc Shrink Wrap  
Film. Because It Is Stretchy, The Film Will Not Crack  
And Rip Open Like Pvc Film Can Under Pressure. It Is  
Odorless And Can Be Used With Food.

60 Gauge 4375" Roll  
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30  
& 36" Widths  
75 Gauge 3500' Roll  
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30  
& 36" Widths  
100 Gauge 2625' Roll  
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30  
& 36" Widths

## Letterpress Supplies

### Channel Creasing Matrix

ILLUSTRATION SHOWS PREPARATORY PRESS ACTION



Channel Original Self Locating Creasing Matrix Is The World's First And Most Widely Used Creasing Matrix. It Is Extremely Durable And Accurate And Provides Benefits In Time And Cost Over Rival Systems.

- Accurate Locator - Ensures Perfect Registration Everytime
- Low Profile Chamfer - Board Flows Freely Over The Matrix; Board Marking Is Reduced
- Fingerlift Adhesive - Backing Paper Easily And Quickly Removed
- High Tolerance - Extremely Accurate Channel Depth And Width
- New Adhesive Removes Cleanly From The Plate After Use, Will Not Move About During Machine Run
- Full Range Of Sizes Available To Suit All Board Types, Off-Centres And Multi-Crease For Close Creasing
- Extremely Durable
- Comes In A Box Of 48 Ft

#### Center Crease




- #32 - Orange Creasing Channel .032" For Boards .006" And Under
- #40 - Buff Creasing Channel .040" For Boards .006" - .010" Thick
- #50 - White Creasing Channel .050" For Boards .010" - .015" Thick
- #60 - Yellow Creasing Channel .060" For Boards .015" - .020" Thick
- #75 - Green Creasing Channel .075" For Boards .020" - .025" Thick
- #90 - Red Creasing Channel .090" For Boards .025" - .035" Thick
- #105 - Blue Creasing Channel .105" For Boards .030" - .040" Thick & E-Flute

#### Off-Center Crease




- #50 - O/C White Creasing Channel 0.50" For Boards .010" - .015" Thick
- #60 - O/C Yellow Creasing Channel .060" For Boards .015" - .020" Thick

#### Double Crease



- #50 - D 1/8" White Creasing Channel .050" For Boards .010" - .015" Thick
- #50 - D 3/16" White Creasing Channel .050" For Boards .010" - .015" Thick
- #50 - D 1/4" White Creasing Channel .050" For Boards .010" - .015" Thick
- #60 - D 1/4" Yellow Creasing Channel 0.60" For Boards .015" - .020" Thick



This Is Only A Sample Of Items Available

### Tympan Paper

36" Wide By The Ft	ZO36
15 1/2" Wide By The Ft	ZO15 1/2
15 1/2" Wide By The Roll	ZO15.5

Also Available In Pre Cut Sheets

### Sabertooth Backing



1/4"	ZO702
1/8"	ZO701

### Accu-Shim




33 Ft Roll	
.002 Thick	YL2A-33
.005 Thick	YL3A-33
100 Ft Roll	
.002 Thick	YL2B-100
.005 Thick	YL3B-100

### 1 Lb. Sealing Wax

YLSW-100



### Steel Cutting Rule



Made As Follows  
 Under Type High .910  
 Type High .918  
 Over Type High .923  
 Over Type High .937

Packaged 12 Strips To The Package  
 Each Strip Is 24" Long

### Creasing (Scoring) Rule


YLCRS32 - 2 PT. 24" Steel Strip  
 YLCRS33 - 3 PT. 24" Steel Strip  
 YLCRS34 - 4 PT. 24" Steel Strip  
 YLCRS35 - 6 PT. 24" Steel Strip

### Steel Micro Perf Rule



Type High, 2 Pt., 24"  
 Strip In 30, 40, 50, 60  
 Or 70 Teeth Per Inch  
 Minimum Order 3  
 Strips






**Letterpress Supplies Continued**



**Steel Perforating Rule**

Made In Heights Of .900, .910, .918 (Type High), .923 & .937. Comes In A 24" Strip.  
 Minimum Order 6 Strips – 3 Of A Kind

**Gauge Pins**

	Spring Slide (Dz)	YLGP-100
	Extra Tongs (Dz)	YLGP-101
	Twin Grip Set Of 3	YLGP-102
	Adj. Quad Gudes (3)	YLGP-103
	Long Tongues (Dz)	YLGP-103A
	Perfect Front	
	Std Duty (Dz)	YLGP-104
	Heavy Duty (Dz)	YLGP-105
	Short Tongues (Dz)	YLGP-106
	Medium Tongues (Dz)	YLGP-107


**Perf-A-Base Backing**

Perf-A-Base Backing Is Easily Applied To Top Of Tympan With Perf-A-Base Adhesive Which Is Apecially Compounded For This Use. Should Be Used With Type High Perf Rule. Available In 1/4", 1/4", 1/2" & 1" Wide. Comes In A 40" Coil With Adhesive.



**Hi Speed Quoins**

3"	YLAP638
4 1/2"	YLAP639
6"	YLAP640
7 1/2"	YLAP641
9"	YLAP642
10 1/2"	YLAP643
12"	YLAP644



**Heidelberg Windmill 10X15 Rollers**

Set Of 4 Soft Rubber	ST10X15
F Ink Form	ST37H11
D Ink Distributor	ST37H10
B Ink Ductor	ST37H10

**Numbering Machines**

Std Machines Available In

- Forward Or Reverse
- 5/32 Or 3/16 Characters
- Roman Or Gothic
- Drop Or Solid Shaft
- 6 Or 7 Wheel



Other Machines Available Upon Request



**Job Press Gripper Fingers**

Fits Kluge, C&P, Etc  
 Set Of 6 Consists Of One Left & One Right Of Short (8X12), Long (10X15) & Extra Long (12X18). Specify Standard Or Narrow Width.  
 If Individual Pieces Are Wanted Specify Left Or Right, Std Or Narrow & Length.

**Letterpress Supplies Continued**



**ZW1** Kluge Suckers Red Or Gum Rubber  
**ZW1P** Plastic Sucker For Longer Life



**ZW1A** Kluge, Narrow Margin Sucker, Very Handy In Tight Places



**ZW2** Kluge Card Suckers Red Or Gum Rubber



**ZW3** Kluge Carton Suckers Red Or Gum Rubber



**ZW17** Kluge For Narrow Margin Work. Use On Feeder Or Delivery  
**ZW18** Same As ZW17, Rubber Disk 19K Added For Cardboard



**ZW19** Flat Rubber Suction Discs. Over 75 Different Sizes Available Up To 2"



**ZW21** Sandpaper Discs  
 A- Ready Glued  
 B- Without Glue  
 Kluge, C&P, Others.  
 3/4" OR XL 1 1/8"



**ZW26** Kluge Metal Cap, Hold Std Rubber Sucker. For Feeder Delivery



**ZW33A** Kluge Sheet Tongues, Set Of 6 (Sizes 1-6), Or Specify Specific Size  
**ZW33B** Sheet Tongue Screw With Washer



**ZW36** Kluge Register Rod Cam Left Or Right




**ZW38** Kluge Flat Leather Belt 112"




**ZW43** Kluge Register Rod Holder



**ZW44** Kluge Wrench Set, Includes All Popular Nuts And Bolts  
 (A) Complete Wrench Set  
 (B) Wrench  
 (C) Gripper Nut  
 (D) Side Guide Nut  
 (E) Delivery Pickup Bolt  
 (F) Delivery Track Bolt



**ZW45** Kluge Misc. Parts  
 (A) Side Guide Tongue  
 (B) Magazine Separator Spring  
 (C) Center Comber Spring  
 (D) Side Guide Eyebolt Hold Side Guide To Platen



**ZW48** Kluge Delivery Pickup  
 (A) Bolt  
 (B) Clamp Top  
 (C) Clamp Base. Specify Left Or Right  
 (D) Suction Tube



**ZW53** Flexible Steel Blower Tubing. 5' Long





**Letterpress Supplies Continued**




- ZW51 Kluge**  
 (A) Side Guide Complete Left Or Right  
 (B) Side Guide Block  
 (C) Bottom Feed Fauge  
 (D) Feed Gauge Tongues Only  
 (E) Side Guide, Complete With Offset Stem. Left Or Right

<b>Lay Gauge Pin Kit</b>		
	Set Of 5	P31133
	35mm	P2859
	45mm	P2861
	55mm	P2862
	65mm	P2864
	75mm	P2894


	<b>Sheet Separators</b>	
	Windmill	HEWI114
	Windmill	HEWI117



<b>Wash-Up Blade</b>			
Windmill 10 X 15	14-15/16 X 2	5 Slots	P-30209
Windmill 13 X 18	18-9/16 X 2-1/16	6 Holes	P-30243



<b>Sucker Bar Slides</b>		
Windmill 10x15 (261 Mm Long - 2.5 Mm Holes Red)		P30754
Windmill 10x15 (261 Mm Long - 3.8 Mm Holes Yellow)		P30755
Windmill 10x15 (261 Mm Long - 1.6 Mm Holes Pink)		P30756
Windmill 13x18 (327 Mm Long - 2.5 Mm Holes Red)		P30797
Windmill 13x18 (327 Mm Long - 3.9mm Holes Yellow)		P30798
Windmill 13x18 (327 Mm Long - 1.6 Mm Holes Pink)		P30799



<b>Std Cylinder Jacket</b>		
Windmill 10x15		P30850
Windmill 13x18		P30858

<b>Emergency Kits</b>		
<b>Windmill 10 X 15</b>		P-30840
Consists Of:		
(A) Ink Distributor Runners - (4 Pcs)		HE-WI466
(B) Bearings - (4 Pcs)		P-11183
(C) Wash Up Blade - (1 Pc)		P-30209
(D) Sucker Feet (3/16" Id) - (8 Pcs)		P-7566
(E) Sucker Feet (1/8" Id) - (8 Pcs)		P-5234
(F) Middle Sheet Separators - (2 Pcs)		HE-WI117
(G) End Sheet Separators - (2 Pcs)		HE-WI114
(H) Cylinder Jacket - (1 Pc)		P-30850

<b>Windmill 13 X 18</b>		P-31140
Consists Of:		
(B) Bearings For Ink Distributor Runners - (4 Pcs Each)		P-11183
(C) Wash Up Blade - (1 Pc)		P-30243
(D) Sucker Feet (5/32" Id) - (20 Pcs Each)		P-7581
(F) End Sheet Separators - (6 Pcs Each)		HE-WI114
(G) Middle Sheet Separators - (2 Pcs Each)		HE-WI117
(H) Cylinder Jacket - (1 Pc)		P-30858


- ZW52 Kluge**  
 (A) Bottom Gauge Band Specify Length: 19 1/2", 23 1/4" Or 25 1/2"  
 (B) Bottom Gauge Band Clamp. Quick Release  
 (C) Bottom Gauge Band Clamp With Screw To Hold Band. Specify Left Or Right



- ZW54 Kluge Feeding Suction Tubes**  
 (A) Left Cardboard KG-571  
 (B) Right Cardboard KG-571A  
 (C) Left Paper KG-577  
 (D) Right Paper KG-577A  
 (E) Dummy Foot KG-580



<b>Windmill Gripper Bar</b>	
10x15 Complete	HEWI0990-15
13x18 Complete	HEWI0990-18
Screw For Operating Arm	HET1307

	<b>Windmill Brass Filter Screens</b>	
	(24mm Collar)	P9410
	(38mm Collar)	P9412

	<b>Silencer For Windmill</b>	P9413
--	------------------------------	-------